ATTACK TO Paper No. 4

Sheet 1 of 3

	4.	0 8 30M			<del>-</del>		The Copy	
FORM PTO-14 (Modified)	U.S. Department of Co			Attorney Docket N 04970	io.: STONYB-	Serial No.: 09/782,378		
	~ ~ ~	WARREND SURE ST	TATEMENT BY AP	PLICANT	Applicant: Patrick	Hearing et al.		
(Use Several Sheets If Necessary) (37 CFR § 1.98(b))					Filing Date:		Group Art Unit: 1636	
				U.S. PATENT DOC	CUMENTS			
Examiner Initials	Cite No.	Serial / Patent Number	Issue Date	Applic	ant / Patentee	Class	Subclass	Filing Date
AA2	1	6,040,174	3/21/00	Imler <i>et al</i> .			\	
	2	5,872,005	2/16/99	Wang <i>et al.</i> Trempe				
	3	5,837,484	11/17/98			-	$\perp \vee$	
	4	5,589,377	12/31/96	Lebk	owski <i>et al</i> .	X	$\perp \Lambda$	
	5	5,789,390	8/4/98	Desc	camps et al.			
	6	5,691,176	11/25/97	Lebk	owski <i>et al</i> .			
	7	4,683,195	7/28/87	Mı	ullis <i>et al</i> .			
	8	4,683,202	7/28/87		Mullis	-		
$\checkmark$	9	5,877,011	3/2/99	Arme	entano et al.			
142	10	5,891,690	4/6/99 ·		Massie			
		FC	REIGN PATENTS (	OR PUBLISHED FO	REIGN PATENT AP	PLICATIONS	•	
		Document Number	Publication Date	Country	/ Patent Office	Class	Subclass	Translation Yes No
AAA	11	WO 91/18088	11/28/91		PCT		\ /	
1	12	WO 90/09441	8/23/90		PCT			
	13	WO 88/10311	12/29/88		PCT			
	14	WO 91/11525	8/8/91		PCT		X	
	15	WO 99/53085	10/21/99		PCT			
AND	16	EP 185 573	5/20/92		Europe	1/	1 / 1	
1,000		OTHER	DOCUMENTS (Inclu	iding Author, Title, D	Date, Relevant Pages,	Place of Publication)		
AA2	17				," Curr. Opin. Biotech			
	18	Brenner (1999) "Gene Transfer by Adenovectors," Blood 94:3965-7						
	19	Kochanek (1999) "High-Capacity Adenoviral Vectors for Gene Transfer and Somatic Gene Therapy," Hum. Gene. Ther. 10:2451-9						
	20	Wold (1999) "Immune responses to adenoviruses: viral evasion mechanisms and their implications for the clinic," Human Press,						
	21	Tripathy et al. (1996) "Immune responses to transgene-encoded proteins limit the stability of gene expression after injection of replication-defective adenovirus vectors," Nat. Med. 2:545-50						
	22	Yang et al. (1996) "Role of Viral Antigens in Destructive Cellular Immune Responses to Adenovirus Vector-Transduced Cells in Mouse Lung," J. Virol. 70:7209-12						
	23	Thrasher et al. (1995) "Generation of recombinant adeno-associated virus (rAAV) from an adenoviral vector and functional reconstitution the NADPH-oxidase," Gene Ther. 2:481-485						
	24	Fisher et al. (1996) "A Novel Adenovirus-Adeno-Associated Virus Hybrid Vector That Displays Efficient Rescue and Delivery of the AAV Genome," Human Gene Ther. 7:2079-2087						
	25	Lieber et al. (1999) "Integrating Adenovirus-Adeno-Associated Virus Vectors Devoid of All Viral Genes," J. Virol. 73:9314-9324						
172	26	Liu <i>et al.</i> (1999) "P adenovirus," Gene		inant adeno-associated	d virus vectors using	a packaging cell line	and a hybrid reco	ombinant
Examiner:		Sold &	helf &		Date Considered:	10-21-02		
EXAMINER:		itial citation considered th next communication		citation if not in con	nformance and not con	nsidered. Include cop	y of this form	

FORM PTO-1449 (Modified)

, الم

195. Department of Communications of the state of the sta Department of Commerce

Attorney Docket No.: STONYB-04970

Serial No.: 09/782,378

d)
INFORMATION DISCLOSURE STATES ON BY APPLICANT
(Use Several Season Coessary)

Applicant: Patrick Hearing et al.

Filing Date: 2/12/01

1636 Group Art Unit:

(37 CFR § 1.98(b)) OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication) RAD Berns et al. (1995) "Adenovirus and Adeno-Associated Virus as Vectors for Gene Therapy," Ann. NY Acad. Sci. 772:95-104 27 Muzyczka (1992) "Use of Adeno-Associated Virus as a General Transduction Vector for Mammalian Cells," Curr. Top. Microbiol. Immunol. 28 158:97-129 Rolling and Samulski (1995) Mol. Biotechnol. 3:9-15 29 Bett et al. (1993) "Packaging Capacity and Stability of Human Adenovirus Type 5 Vectors," J. Virol. 67:5911-21 30 Parks and Graham (1997) "A Helper-Dependent System for Adenovirus Vector Production Helps Define a Lower Limit for Efficient DNA 31 Packaging," J. Virol. 71:3293-8 Akli et al. (1993) "Transfer of a foreign gene into the brain using adenovirus vectors," Nature Genetics 3:224 32 Stratford-Perricaudet et al. (1990) "Evaluation of the Transfer and Expression in Mice of an Enzyme-Encoding Gene Using a Human 33 Adenovirus Vector," Human Gene Ther. 1:241 Levrero et al. (1991) "Defective and nondefective adenovirus vectors for expressing foreign genes in vitro and in vivo," Gene 101:195 34 Le Gal la Salle et al. (1993) "An Adenovirus Vector for Gene Transfer into Neurons and Glia in the Brain," Science 259:988 35 Roemer and Friedmann (1992) "Concepts and strategies for human gene therapy," Eur. J. Biochem. 208:211 36 Dobson et al. (1990) "A Latent, Nonpathogenic HSV-1-Derived Vector Stably Expresses β-Galactosidase in Mouse Neurons," Neuron 5:353 37 Chiocca et al. (1990) "Transfer and Expression of the lacZ Gene in Rat Brain Neurons Mediated by Herpes Simplex Virus Mutants," New 38 Biol. 2:739 Miyanohara et al. (1992) "Direct Gene Transfer to the Liver with Herpes Simplex Virus Type 1 Vectors," Transient Production of 39 Physiologically Relevant Levels of Circulating Factor IX," New Biol. 4:238 Xiao et al. (1997) "A Novel 165-Base-Pair Terminal Repeat Sequence Is the Sole cis Requirement for the Adeno-Associated Virus Life 40 Cycle," J. Virol. 71:941-948 Ryan et al. (1996) "Sequence Requirements for Binding of Rep68 to the Adeno-Associated Virus Terminal Repeats," J. Virol. 70:1542-1553 41 Imler et al. (1996) "Novel complementation cell lines derived from human lung carcinoma A549 cells support the growth of E-1 deleted 42 adenovirus vectors," Gene Ther. 3:75-84 Fallaux et al. (1998) "New Helper Cells and Matched Early Region 1-Deleted Adenovirus Vectors Prevent Generation of Replication-43 Competent Adenoviruses," Human Gene Ther. 9:1909-1917 Fallaux et al. (1996) "Characterization of 911: A New Helper Cell Line for the Titration and Propagation of Early Region 1-Deleted 44 Adenoviral Vectors," Human Gene Ther. 7:215-222 Weinberg et al. (1983) "A cell line that supports the growth of a defective early region 4 deletion mutant of human adenovirus type 2," 45 Proc. Natl. Acad. Sci. USA 80:5383-5386 Brough et al. (1996) "A Gene Transfer Vector-Cell Line System for Complete Functional Complementation of Adenovirus Early Regions El 46 and E4," J. Virol. 70:6497-501 Hearing et al. (1987) "Identification of a Repeated Sequence Element Required for Efficient Encapsidation of the Adenovirus Type 5 47 Chromosome," J. Virol. 61:2555-8 Zolotukhin et al. (1996) "A 'Humanized' Green Fluorescent Protein cDNA Adapted for High-Level Expression in Mammalian Cells," J. 48 Virol. 70:4646-54 Stow (1981) "Cloning of a DNA Fragment from the Left-Hand Terminus of the Adenovirus Type 2 Genome and Its Use in Site-Directed 49 Mutagenesis," J. Virol. 37:171-180 Graham et al. (1977) "Characteristics of a Human Cell Line Transformed by DNA from Human Adenovirus Type 5," J. Gen. Virol. 36:59-50 Thimmappaya et al. (1982) "Adenovirus VAI RNA Is Required for Efficient Translation of Viral mRNAs at Late Times after Infection," 51 Cell, Dec. 31 (3 Pt 2): 543-551 Tollefson et al. (1996) "The Adenovirus Death Protein (E3-11.6K) Is Required at Very Late Stages of Infection for Efficient Cell Lysis and DD] 52 Release of Adenovirus from Infected Cells," J. Virol. 70(4):2296-2306 Date Considered: 10-21-02 Examiner: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form EXAMINER: with next communication to applicant.

Attorney Docket No.: STONYB-FORM PTO-1449 U.S. Department of Commerce Serial No.: 09/2 04970 (Modified) Patent and Trademark Office INFORMATION DISCLOSURE STATEMENT BY APPLICANT Applicant: Patrick Hearing et al. (Use Several Sheets If Necessary) Filing Date: 2/12/01 Group Art ( (37 CFR § 1.98(b)) OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication) Steinwaerder et al. (1999) "Generation of Adenovirus Vectors Devoid of All Viral Genes by Recombination between Inverted Repeats," J. 53 DOJ Virol. 73:9303-13 Clark et al. (1996) "A stable cell line carrying adenovirus-inducible rep and cap genes allows for infectivity titration of adeno-associated 54 virus vectors," Gene Ther. 3:1124-32 Hirt (1967) "Selective Extraction of Polyoma DNA from Infected Mouse Cell Cultures," J. Mol. Biol. 26:365-9 55 56 Nevins (1981) "Mechanism of Activation of Early Viral Transcription by the Adenovirus E1A Gene Product," Cell 26:213-20 Sandalon et al. (1997) "In Vitro Assembly of SV40 Virions and Pseudovirions: Vector Development for Gene Therapy," Hum. Gene Ther. 57 8:843-9 Gnatenko et al. (1999) "An Adenovirus/Adeno-associated Hybrid Virus Generates a Mini-Adenovirus Devoid of all Viral Genes," Blood 58 (supplement) 94:181a, Abstract No. 788 Molin et al. (1998) "Two Novel Adenovirus Vector Systems Permitting Regulated Protein Expression in Gene Transfer Experiments," J. 59 Recchia et al. (1999) "Site-specific integration mediated by a hybrid adenovirus/adeno-associated virus vector," Proc. Natl. Acad. Sci. USA 60 96:2615-2620

Examiner:

EXAMINER:

100

61

erold & peff f.

J. Virol. 74:1038149

Date Considered:

Sandalon et al. (2000) "AAV Rep Protein Enhances the Generation of a Recombinant Mini-Adenovirus Utilizing an Ad/AAV Hybrid Virus,"

10-21-02

Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.